

Šomšák L. & Lancíková Ľ. (1990): Vegetationsverhältnisse im Spiš-Teil von Slovenské rudoohorie IV. Saure Reliktkiefernwälder vom Tal Smolnická dolina. - Acta Fac. Rer. Natur. Univ. Comen. - Bot., Bratislava, 37: 65-79.

Vozárová M. (1990): Asociácia Inulo oculus-christi - Festucetum pseudodalmatiaceae Májovský et Jurko, 1956 v širšom okolí Mochoviec. - Zborn. Slov. Nár. Múz. - Prír. Vedy, Bratislava, 36: 15-32.

NOVÁ LICHENOLOGICKÁ LITERATURA I.

sestavil J. Liška

- Asta J., Avnaim M. & Letrouit M.A. (1986): Colonisation d'un sol vierge par *Baeomyces rufus* (Huds.) Rebent. (*Lichen*) et *Pogonatum urnigerum* (Hedw.) P.Beaup. (*Mousse*): aspect morphologique et structural. - Trav. Sci. Parc. Nat. Vanoise 15: 83-101.
- Ahmadjian V. (1990): What have synthetic lichens told us about real lichens? - Biblioth. Lichenol. 38: 3-12.
- Awasthi D.D. (1991): A key to the microlichens of India, Nepal and Sri Lanka. - Biblioth. Lichenol. 40: 1-337.
- Canters K.J. et al. (1991): Microclimatic influences on lichen distribution and community development. - Lichenologist 23: 237-252.
- Cieslinski S. (1990): List of threatened lichens in Poland: some comments. - In: Jansen A.E. & Lawrynowicz M., eds., Conservations of fungi and other cryptogams in Europe, p. 90-103, Lódź: Lódź Soc. Sci. & Arts.
- Falatyńowicz W., Izydorek I. & Budzbon E. (1991): The lichen flora as bioindicator of air pollution of Gdansk, Sopot and Gdynia. - Monogr. Bot. 73: 1-52.
- Feige G.B., Niemann L. & Jähnke S. (1990): Lichens and mosses - silent chronists of the Chernobyl accident. - Biblioth. Lichenol. 38: 63-77.
- Feurer T. (1991): Revision der europäischen Arten der Flechtengattung *Rhizocarpon* mit nichtgelben Lager und vielzelligen Sporen. - Biblioth. Lichenol. 39: 1-216.
- Foucard T. (1990): Svensk skorplavs flora. - 306 p., Stockholm: Interpublishing.
- Galloway D.J., ed. (1991): Tropical lichens: their systematics, conservation, and ecology. - 302 p., Oxford: Oxford University Press.
- Hallingbäck T. (1990): Transplanting *Lobaria pulmonaria* to new localities. - Windahlia 18: 57-64.
- Halonen P., Hyvärinen M. & Kauppi M. (1991): The epiphytic lichen flora on conifers in relation to climate in the Finnish middle boreal subzone. - Lichenologist 23: 61-72.
- Hawksworth D.L. & Poelt J. (1990): A second lichen-forming species of *Cheiromycina* from Austria. - Lichenologist 22: 219-224.
- Herzig R. et al. (1987): Flechten als Bioindikatoren der Luftverschmutzung in der Schweiz: Methoden-Evaluation und Eichung mit wichtigen Luftschadstoffen. - VDI Berichte 609: 619-639.
- Jahns H.M., ed. (1990): Contribution to lichenology in honour of A.Hensen. - Biblioth. Lichenol. 38: 1-427.
- John E. & Dale M.R.T. (1991): Determinants of spatial pattern in saxicolous lichen communities. - Lichenologist 23: 227-236.
- John V. (1990): Atlas der Flechten in Rheinland-Pfalz. - Beitr. Landespflege Rheinland-Pfalz 13/1: 1-276.

- Kärnefelt I. (1990): Isidiate taxa in the Teloschistales and their ecological and evolutionary significance. - *Lichenologist* 22: 307-320.
- Kärnefelt I. (1990): Evidence of a slow evolutionary change in the speciation of lichens. - *Biblioth. Lichenol.* 38: 291-306.
- Knopf J.G. (1990): Untersuchungen an gesteinsbewohnten xanthophyllichen Sippen der Flechtengattung *Lecidella* (Lecanoraceae, Lecanorales) unter besonderer Berücksichtigung von aussereuropäischen Proben exclusive Amerika. - *Biblioth. Lichenol.* 36: 1-183.
- Kremer B.P. & Muhle H. (1991): Flechten, Moose, Farne - Europäische Arten. - 288 p., München: Mosaik-Verlag (Steinbachs Naturführer No. 26).
- Kümmerling H. (1991): Zur Kenntnis der Flechtenflora am Hohen Meissner und in seinem Vorland (Hessen) unter besonderer Berücksichtigung chemischer Merkmale. - *Biblioth. Lichenol.* 41: 1-315.
- Lawrey J.D. (1991): Biotic interactions in lichen community development: a review. - *Lichenologist* 23: 205-214.
- Matzer M. & Hafellner J. (1990): Eine Revision der lichenicolen Arten der Sammeltypusgattung *Rosellinia* (Ascomycetes). - *Biblioth. Lichenol.* 37: 1-138.
- McCarthy P.M. (1991): Checklist of Australian lichens. Fourth edition. - 177 p., Victoria: National Herbarium Victoria.
- Nimis P.L. (1991): Developments in lichen community studies. - *Lichenologist* 23: 215-225.
- Nimis P.L. & Monte M., eds. (1988): Lichens and monuments (Proc. Symp. Rome 21-24.9.1988). - Stud. Geobot. 8: 1-333.
- Oksanen J., Läärä E. & Zobel K. (1991): Statistical analysis of bioindicator value of epiphytic lichens. - *Lichenologist* 23: 167-180.
- Rambold G., Hertel H. & Triebel D. (1990): *Koerberiella wimmeriana* (Lecanorales, Porpidiaceae) and its lichenicolous fungi. - *Lichenologist* 22: 225-240.
- Randlane T. & Saag A. (1991): Chemical and morphological variation in the genus *Cetrelia* in the Soviet Union. - *Lichenologist* 23: 113-126.
- Seaward M.R.D. & Letrouit-Galinou M.A. (1991): Lichen recolonization of trees in the Jardin du Luxembourg, Paris. - *Lichenologist* 23: 181-186.
- Stocker-Wörgötter & Türk R. (1991): Artificial resynthesis of thalli of the cyanobacterial lichen *Peltigera praetextata* under laboratory conditions. - *Lichenologist* 23: 127-138.
- Thor G. (1990): The lichen genus *Chiadecton* and five allied genera. - *Opera Bot.* 103: 1-92.
- Thrower S.L. (1988): Hong Kong lichens. - 193 p., Hong Kong: Urban Council.
- Wirth V. & Oberholzner H. (1990): Lichen mapping in Europe. Proceedings of the first meeting on lichen mapping in Europe held at Stuttgart from September, 22nd to 24th, 1989. - Stuttgart: Beitr. Naturk., Ser. A (Biol.) 456: 1-199.

UZÁVĚRKA PŘÍŠTÍHO ČÍSLA: 15.10.1992

Uvítáme příspěvky psané na počítači (NLQ) nebo psacím strojem s novou páskou a bez rukopisných oprav a dalších poznámek (z důvodu možnosti převodu textu na PC scannerem bez ručního přepisování). Nejvíce vítány jsou samozřejmě příspěvky na disketě (v T602 nebo ASCII file).